ELECTION

The Office Action at sections 11-14 restricts the claims between:

Group I, claims 1-6 and 13-15, drawn to silica particles and their use; and Group II, claims 7(sic), 9 and 10-12, drawn to a method of making and using silica particles.

Applicants hereby elect, with traverse, to prosecute the invention of Group I, Claims 1-6 and 13-15, drawn to silica particles and their use.

Applicants respectfully traverse the Restriction Requirement because the Office has not shown that a serious burden exists in searching all of the claims.

If the search and examination of all the claims in an application can be made without serious burden, the examiner must examine them on the merits, even though they include claims to independent or distinct inventions. MPEP § 803.

Applicants submit that a search of all of the claims would not constitute a serious burden on the Office. Thus, the Restriction Requirement is improper and should be withdrawn.

SUPPORT FOR THE AMENDMENTS

This Amendment amends Claim 7; and adds new Claim 16. Support for the amendments is found in the specification and claims as originally filed. In particular, support for Claim 16 is found in the specification at least at [0034] ("maximum value of $\Delta Vp/\Delta logRp$... especially preferred 2500 mm³/nm·g or more"). No new matter would be introduced by entry of these amendments.

Upon entry of these amendments, Claims 1-7 and 9-16 will be pending in this application. Claim 1 is independent.

REQUEST FOR RECONSIDERATION

Applicants respectfully request entry of the foregoing and reexamination and reconsideration of the application, as amended, in light of the remarks that follow.


The present invention provides amorphous silica particles having high oil absorbance capabilities. Specification at [0001]. The present inventors have discovered that amorphous silica particles having an oil absorption of 400ml/100g or more can be made by making amorphous silica particles having an oil absorption of 340ml/100g or more and baking these silica particles at 200 to 990C. Specification at [0008]. For the baked amorphous silica particles, the maximum value of $\Delta Vp/\Delta logRp$ is 250 mm³/nm·g or more in the pore distribution curve obtained by the nitrogen adsorption isotherm method, and pore peak radius when the $\Delta Vp/\Delta logRp$ value is maximum is 15 to 100 nm.

Claims 1-7 and 9-15 are rejected under 35 U.S.C. § 102(b) over U.S. Patent No. 6,413,373 ("Matsuda"). Matsuda discloses a process for producing silica particles. Matsuda at title.

The Office Action argues that Claim 6 of Matsuda discloses that the change of volume from 1 cc/g to 2 cc/g would be equivalent for ΔVp . This is not correct. Claim 6 of

Matsuda, however, discloses silica that have a pore volume of 1 cc/g for pores with a diameter of 200 to 2000 Å and also other silica having a pore volume of 2 cc/g for pores with a diameter of 200 to 2000 Å plus all kinds of silica in between these two borderlines. In each case, however, Claim 6 of Matsuda relates to different silica, i. e. one with 1 cc/g and one with 2 cc/g.

The ΔVp value of the present invention represents a parameter of <u>one individual</u> silica. The drawing below, derived from Figure 1, is provided to help to understand the definition of this parameter.



One individual silica usually has different pores with different sizes. Nitrogen is absorbed in different amounts by different pores with different sizes. $\Delta V_p/\Delta R_p$ respectively its logarithmic value represents the change in the amount of the absorbed nitrogen in relation to a given change of pore radius (see ΔR_p in the figure above) for one silica. This tells how many pores having radius 40 nm exist and how many pores having a radius of 50 nm exist in one and the same silica.

The Office Action uses a ΔV_p value of <u>two different</u> silica, one having a <u>cumulative</u> pore volume (see indication in the figure above) of 1 cc/g and one having a total pore volume of 2 cc/g. What the Office Action therefore calculated is a ΔV_p between two different silicas which is not the ΔV_p claimed in the present invention. Therefore the Office Action compared two absolutely different parameters with each other. This is not correct.

Thus, Matsuda fails to suggest the independent Claim 1 limitations that "the maximum value of $\Delta Vp/\Delta logRp$ (where Vp is the pore volume [mm³/g] and Rp is the pore radius [nm]) is 250 mm³/nm·g or more in the pore distribution curve obtained by the nitrogen adsorption isotherm method, and pore peak radius when the $\Delta Vp/\Delta logRp$ value is maximum is 15 to 100 nm".

Furthermore, Table 2 in column 14 of Matsuda discloses that the maximum amount of Hg is absorbed by pores having a pore radius R_p of from 300 to 4000 nm (pore diameter = 6000 to 8 x 10⁴ Å). Thus – even though ΔVp is not explicitly disclosed in Matsuda – there is strong evidence that Rp for the maximum of $\Delta Vp/log(\Delta Rp)$ of the silica of Matsuda is in the range of 300 to 4000 nm. This is clearly outside of independent Claim 1's range of "15 nm to 100 nm". This interpretation is supported by the explanations in column 4, lines 1-13 of Matsuda. Thus, there is no maximum in the range of $R_P = 10$ to 100 nm for the silica of Matsuda. Instead, the maximum is clearly thought for pores having higher pore radiuses.

Because <u>Matsuda</u> fails to suggest all the limitations of independent Claim 1, the rejection over Matsuda should be withdrawn.

New Claim 16 is further patentably distinguishable over <u>Matsuda</u>, because <u>Matsuda</u> fails to suggest the Claim 16 limitation that "the maximum value of $\Delta Vp/\Delta logRp$... is **2500** mm³/nm·g or more ...".

Claims 7 and 9-15 are rejected under 35 U.S.C. § 102(b) over JP 06-040714 ("JP-714").

Claims 7 and 9-15 are rejected under 35 U.S.C. § 103(a) over WO 01/17901 ("WO-901").

Claims 7 and 9-15 are rejected under 35 U.S.C. § 103(a) over U.S. Patent No. 6,107,236 ("Pecoraro").

Claim 7 is amended to depend from independent Claim 1, which is not rejected over <u>JP-714</u>, <u>WO-901</u> or <u>Pecoraro</u>. Thus, the rejections over each of <u>JP-714</u>, <u>WO-901</u> and <u>Pecoraro</u> should be withdrawn.

Claims 1-7 and 9-15 are rejected under 35 U.S.C. § 112, first paragraph, as failing to comply with the written description requirement. The Office Action asserts

The pore peak radius is now recited to be at least 15 nm. At that value, the **corresponding** maximum value of $\Delta Vp/\Delta logRp$ is at least 1000 mm³/nm·g, not 250 mm³/nm·g or 500 mm³/nm·g as recited in claims 1 and 2. See the instant specification, paragraphs [0043]-[0044] and also figures 1 and 2. Thus, the maximum value of $\Delta Vp/\Delta logRp$ of 250 or 500 mm³/nm·g as presently claimed does not **correspond** to the presently amended peak pore radius. The instant specification does not provide teaching or support for a value of $\Delta Vp/\Delta logRp$ being less than 1000 mm³/nm·g when the peak pore radius is at least 15 nm. Office Action at page 2, section 2, lines 6-13 (emphasis added).

On the contrary, the specification does not disclose a fixed correspondence between the maximum value of $\Delta Vp/\Delta logRp$ and the pore peak value when the $\Delta Vp/\Delta logRp$ value is a maximum. Instead, the specification discloses:

[0034] In the pore distribution curve obtained by the nitrogen adsorption isotherm method, the **maximum value of \Delta Vp/\Delta logRp** (where Vp is the pore volume [mm³/g] and Rp is the pore radius [nm]) is **250 mm³/nm·g** or more, preferably 500 mm³/nm·g or more, more preferably 1000 mm³/nm·g or more, and even more preferably 1500 mm³/nm·g or more, most preferably 2000 mm³/nm·g or more, especially preferred **2500 mm³/nm·g** or more. When the maximum value of $\Delta Vp/\Delta logRp$ (where Vp is the pore volume [mm³/g] and Rp is the pore radius [nm]) is less than 250 mm³/nm·g, there is an remarkably high open structure so that the effect of increasing the oil absorption by baking is low.

[0035] Moreover, the **pore peak radius** is 3 nm or more, preferably 10 nm or more, more preferably **15 nm or more**, and even more preferably 20 nm or more, most preferably 25 nm or more, especially preferred 30 nm or more. When the pore peak radius is less than 3 nm, the particle size is small, so that the pore may disappear during baking. Further, the **maximum** of the pore peak radius is **100 nm** due to the measurement. Specification at [0034]-[0035].

Because the specification clearly allows [see M.P.E.P. § 2163.02] persons of ordinary skill in the art to recognize that Applicants invented the amorphous silica particles of independent Claim 1 "wherein ... the maximum value of ΔVp/ΔlogRp (where Vp is the pore volume [mm³/g] and Rp is the pore radius [nm]) is 250 mm³/nm·g or more in the pore distribution curve obtained by the nitrogen adsorption isotherm method, and pore peak radius when the ΔVp/ΔlogRp value is maximum is 15 to 100 nm", the rejection under 35 U.S.C. § 112, first paragraph, should be withdrawn.

Claims 1-7 and 9-15 are provisionally rejected on the ground of non-statutory obviousness-type double patenting over Claims 1-8 of co-pending Application No. 10/566,373. To obviate the rejection, a Terminal Disclaimer over Application No. 10/566,373 is attached.

Pursuant to M.P.E.P. § 821.04(b), after independent product Claim 1 is allowed,
Applicants respectfully request rejoinder, examination and allowance of non-elected process
Claims 7, 9 and 10-12, which include all of the limitations of independent product Claim 1.

Application No. 10/567,082 Reply to Office Action of April 4, 2008

In view of the foregoing amendments and remarks, Applicants respectfully submit that the application is in condition for allowance. Applicants respectfully request favorable consideration and prompt allowance of the application.

Should the Examiner believe that anything further is necessary in order to place the application in even better condition for allowance, the Examiner is invited to contact Applicants' undersigned attorney at the telephone number listed below.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND, MAIER & NEUSTADT, P.C.

Vaul Elmbach

Norman F. Oblon

Customer Number

22850

Tel: (703) 413-3000 Fax: (703) 413 -2220 (OSMMN 08/07)

Corwin P. Umbach, Ph.D. Registration No. 40,211

Attached:

Terminal Disclaimer over Application No. 10/566,373